



ARDON®
WORKWEAR
& OUTDOOR

ARDON® EFFECT

HANDLING IN DRY ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® EFFECT

HANDLING IN DRY ENVIRONMENT WITH MEDIUM MECHANICAL PROTECTION

CODE

A9105

MATERIAL

Palm
Back
Cuff
Lining
Thickness

goatskin leather (grey)
goatskin leather (grey)
goatskin leather + Velcro
N/A
0,8 – 0,9 mm (in palm)

SIZE(S)

11 / 2XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging

60 pairs
12 pairs
N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	38x39x39	-
-	-	-	-	-	-	0,0578	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	8,120	-
-	-	-	-	-	-	132,0	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	-	-	-	-	36,0	-
-	-	-	-	-	-	14,5	-
-	-	-	-	-	-	12,5	-
-	-	-	-	-	-	12,5	-

Tolerance (A) $\pm 0,30$ (cm)
Tolerance (B) $\pm 0,30$ (cm)

Tolerance (C) $\pm 0,30$ (cm)
Tolerance (D) $\pm 0,30$ (cm)

DESCRIPTION

Full leather goatskin gloves with Kevlar seams and Velcro cuff.

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
1
3
2
X

score

2.000 – 8.000
1,2 – 2,5
50 – 75
60 – 100
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- ARDON® design:
 - mandatory information on inner label
- equipped with an adjustable Velcro cuff so that they do not slip or move
- Kevlar seams



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)
A9105

EAN

8592390041722

