



ARDON®
WORKWEAR
& OUTDOOR

ARDON® TOP UP

ROUGH HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

ARDON® TOP UP

ROUGH HANDLING IN DRY ENVIRONMENT

CODE

A1018

MATERIAL

Palm
Back
Cuff
Lining
Thickness

cowsplit leather (grey)
cotton (red)
reinforced (red)
fleece (only in palm)
3,1 mm (in palm, including lining)

SIZE(S)

9 / L, 11 / 2XL - 13 / 4XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging


72 pairs
12 pairs
size 11 / 2XL also with sales label (-SPE)

DIMENSIONS

	6	7	8	9	10	11	12	13
Carton H x W x D (cm)	-	-	-	57x25x25	-	57x29x31	57x30x32	57x31x33
Carton (cbm)	-	-	-	0,0356	-	0,0512	0,0547	0,0583

WEIGHT

	6	7	8	9	10	11	12	13
Carton (kg)	-	-	-	17,00	-	17,50	18,50	19,00
Unit (g)	-	-	-	229,0	-	236,0	257,0	263,0



Size chart (cm)

	6	7	8	9	10	11	12	13
Total length (A)	-	-	-	24,0	-	28,0	29,0	30,0
Cuff length (B)	-	-	-	6,50	-	7,50	8,00	8,50
Cuff width (C)	-	-	-	13,5	-	14,0	14,5	14,5
Palm width (D)	-	-	-	12,0	-	14,0	14,0	14,5

Tolerance (A) $\pm 0,30$ (cm)
Tolerance (B) $\pm 0,30$ (cm)

Tolerance (C) $\pm 0,30$ (cm)
Tolerance (D) $\pm 0,30$ (cm)

DESCRIPTION

Cowsplit leather with cotton back and reinforced cuff.



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

3
2
3
3
X

score

2.000 – 8.000
2,5 – 5
50 – 75
100 – 150
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- combined gloves in a wide range of sizes (9 – 13 / L – 4XL)
- stable and high quality leather
- ARDON® design:
 - size 11 / 2XL also in retail packaging ('retail ready')
- available also in winter version (A2199)

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A1018/09
A1018/11
A1018/12
A1018/13

Retail packaging (with sales label)

A1018/11-SPE

EAN

8592390017710
8592390000361
8592390070630
8592390070647

8592390128973