



ARDON®
WORKWEAR
& OUTDOOR

HOUSTON

HANDLING IN A WET ENVIRONMENT WITH BASIC MECHANICAL PROTECTION



EN 388: 2016

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

HOUSTON

HANDLING IN A WET ENVIRONMENT WITH BASIC MECHANICAL PROTECTION

CODE

A4001

MATERIAL

Lining
Coating
Thickness
cotton
nitrile (blue)
0,96 mm (in palm)

SIZE(S):

7 / S – 11 / 2XL

UNIT

pair

PACKING


Units in carton
Units in polybag
Retail packing
240 pairs
12 pairs
size 10 / XL also with sales label (/SPE)

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	48x26x45	48x26x45	50x26x46	50x26x46	50x27x46	-
Carton (cbm)	-	-	0,0562	0,0562	0,0598	0,0598	0,0621	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	11,0	11,5	14,0	15,5	16,0	-
Unit (g)	-	-	40,0	45,0	50,0	55,0	60,0	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	22,0	23,0	23,5	25,0	26,5	-
Cuff length (B)	-	-	6,00	6,50	7,00	7,50	8,00	-
Cuff width (C)	-	-	6,50	6,50	6,50	6,50	6,50	-
Palm width (D)	-	-	9,00	9,50	10,0	11,0	11,5	-

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,50$ (cm)

Tolerance (C) $\pm 0,50$ (cm)

Tolerance (D) $\pm 0,50$ (cm)

DESCRIPTION

Cotton knit dipped in nitrile.

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
 cut resistance
 tearing resistance
 puncture resistance
 cut resistance acc. to ISO

LVL	score	unit
2	500 – 2.000	cycles
X	not measured	index
1	10 – 25	N
1	20 – 60	N
X	not measured	N

SPECIAL FEATURES

- 3/4 dipped
- elastic cuff knit

Basic packaging (without sales label)

A4001/07

A4001/08

A4001/09

A4001/10

A4001/11

EAN

8592390012074

8592390012081

8592390012098

8592390012104

8592390010988

Retail packaging (with sales label)

A4001/10/SPE

8592390065599