



ARDON®
WORKWEAR
& OUTDOOR

ARDON®PERFO S1

SAFETY SHOES



DRY AIR



REFLECTIVE

TECHNICAL SHEET



ARDON®
WORKWEAR
& **OUTDOOR**

ARDON®PERFO S1

SAFETY SHOES

ARTICLE

G1027

MATERIAL

Upper
Lining
Sole

brushed buffalo leather VELUR in a thickness of 1,8 - 2mm
laminated breathable fabric MESH
PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap
Plate
Insole

Steel 522
x
BASIC

SIZE

UNIT

PACKAGE

Units in a carton
Units in a box

36-48
pair

10 pairs
1 pair

DIMENSIONS

Carton H x W x D
(cm)
Carton (cbm)

36-48
36 x 40 x 66,5
0,096

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	240	248	254	261	266	272	280	285	294	303	308	318	324	-	-	-
Foot length cm	-	23,5	24,3	24,9	25,6	26,1	26,7	27,5	28,0	28,9	29,8	30,3	31,3	31,9	-	-	-

DESCRIPTION















Low shoes with suede leather upper, with reflective elements, perforated. Sole made of double density PU / PU material. With the S1 version, safety is ensured by a steel toe cap.

NORMS

(EU) 2016/425

EN ISO 20345:2011 Personal protective equipment –Safety footwear

Category S1 SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G1027/36	8592390019080	13,27	1,327
G1027/37	8592390019097	13,49	1,349
G1027/38	8592390019103	13,66	1,366
G1027/39	8592390019110	13,88	1,388
G1027/40	8592390019127	14,02	1,402
G1027/41	8592390019134	14,83	1,483
G1027/42	8592390019141	15,54	1,554
G1027/43	8592390019158	15,78	1,578
G1027/44	8592390019165	16,26	1,626
G1027/45	8592390019172	16,64	1,664
G1027/46	8592390019189	17,24	1,724
G1027/47	8592390019196	17,80	1,780
G1027/48	8592390019202	18,22	1,822



ARDON®
WORKWEAR
& **OUTDOOR**





ARDON®
WORKWEAR
& OUTDOOR

