



ARDON®
WORKWEAR
& OUTDOOR

ARDON® KINGLOW S3

SAFETY SHOES



DRY AIR



REFLECTIVE



WATER
 REPELLENT

ARDON® KINGLOW S3

SAFETY SHOES

ARTICLE

G3285

MATERIAL

Upper

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm (with hydrophobic treatment)

Lining

laminated breathable fabric MESH

Sole

PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Toe cap

Steel 459

Plate

Steel

Insole

BASIC

SIZE

36-48

UNIT

pair

PACKAGE

Units in a carton

10 pairs

Units in a box

1 pair

DIMENSIONS

Carton H x W x D
(cm)

36-43

36 x 49 x 65

44-48

37 x 49,5 x 69

Carton (cbm)

0,115

0,126

Size EUR

35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51

Insole length mm

- 241 247 255 262 270 276 282 288 298 304 309 315 320 - - -

Foot length cm

- 23,6 24,2 25,0 25,7 26,5 27,1 27,7 28,3 29,3 29,9 30,4 31,0 31,5 - - -

DESCRIPTION

Ardon safety low shoes with leather upper (with hydrophobic treatment) , with reflective elements.
Sole made of double density PU / PU material.









NORMS

(EU) 2016/425

EN ISO 20345:2022 Personal protective equipment –Safety footwear

Category S3 SR FO

EN ISO 20345:2022/A1:2024

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SR - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	[SR]
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
WPA - water penetration and absorption	✓	[WPA]
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		[HI]
CI-insulation of the bottom of the shoe against the cold		[CI]
Splatters of molten metal		[WG]
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		[0% METAL]
-		
-		
-		



ARDON®
WORKWEAR
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3285/36	8592390108081	16,80	1,680
G3285/37	8592390108098	17,00	1,700
G3285/38	8592390108104	17,20	1,720
G3285/39	8592390108111	17,60	1,760
G3285/40	8592390108128	18,00	1,800
G3285/41	8592390108135	18,50	1,850
G3285/42	8592390108142	19,20	1,920
G3285/43	8592390108159	19,60	1,960
G3285/44	8592390108166	20,10	2,010
G3285/45	8592390108173	20,60	2,060
G3285/46	8592390108180	21,10	2,110
G3285/47	8592390108197	21,50	2,150
G3285/48	8592390108203	22,20	2,220



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& **OUTDOOR**

