



ARDON®
WORKWEAR
& OUTDOOR

ARDON® KINGSAN O1

WORKING SHOES



DRY AIR



REFLECTIVE



ZIPPERS

ARDON®KINGSAN O1

WORKING SHOES

ARTICLE

G3323

MATERIAL

Upper

buffalo leather with SPLIT LEATHER design in a thickness of 1,8 - 2 mm
laminated breathable fabric MESH

Lining

PU/PU, two-component spray coating, oil resistant, anti-static, antislip

Sole

Toe cap

Plate

Insole

SIZE

BASIC

UNIT

36-48

PACKAGE

pair

Units in a carton

10 pairs

Units in a box

1 pair

DIMENSIONS

Carton H x W x D

36-43
36 x 49 x 65

44-48
37 x 49,5 x 69

(cm)

Carton (cbm)

0,115

0,126

Size EUR

35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51

Insole length mm

- 241 247 255 262 270 276 282 288 298 304 309 315 320 - - -

Foot length cm

- 23,6 24,2 25,0 25,7 26,5 27,1 27,7 28,3 29,3 29,9 30,4 31,0 31,5 - - -

DESCRIPTION















Sandal with leather upper, fastening with Velcro strap. Sole made of double density PU /PU material.

NORMS

(EU) 2016/425

EN ISO 20347:2012 Personal protective equipment –Occupational footwear

Category O1 SRC

Categories	EN ISO 20347	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water		
Safety toe cap for toe protection		
P - resistance to punctures (protective insole)		
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
HI-insulation of the bottom of the shoe against heat		
CI-insulation of the bottom of the shoe against the cold		
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts		
-		
-		
-		



ARDON®
WORKWEAR
& OUTDOOR

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3323/36	8592390117076	12,00	1,200
G3323/37	8592390117083	13,30	1,330
G3323/38	8592390117090	13,60	1,360
G3323/39	8592390117106	13,80	1,390
G3323/40	8592390117113	13,90	1,390
G3323/41	8592390117120	14,10	1,410
G3323/42	8592390117137	14,20	1,420
G3323/43	8592390117144	14,40	1,440
G3323/44	8592390117151	14,90	1,490
G3323/45	8592390117168	15,90	1,590
G3323/46	8592390117175	16,10	1,610
G3323/47	8592390117182	16,40	1,640
G3323/48	8592390117199	16,80	1,680



ARDON®
WORKWEAR
& OUTDOOR





ARDON®
WORKWEAR
& OUTDOOR

