



ARDON®
WORKWEAR
& OUTDOOR

EASY

HANDLING IN DRY ENVIRONMENT



EN 388: 2016

TECHNICAL DATA



ARDON
WORKWEAR
& OUTDOOR

EASY

HANDLING IN DRY ENVIRONMENT

CODE

A1083

MATERIAL

Palm
Back
Cuff
Thickness

sheep skin leather (white)
cotton (black)
rubber + Velcro
0,8 – 1,0 mm (in palm)

SIZE(S)

7 / S – 11 / 2XL

UNIT

pair

PACKING

Units in carton
Units in polybag
Retail packaging

120 pairs
12 pairs
N/A

DIMENSIONS


Carton H x W x D (cm)
Carton (cbm)

5	6	7	8	9	10	11	12
-	-	54x26x30	54x26x30	54x29x30	59x28x30	59x28x30	-
-	-	0,0421	0,0421	0,0470	0,0496	0,0496	-

WEIGHT

Carton (kg)
Unit (g)

5	6	7	8	9	10	11	12
-	-	9,50	9,80	10,2	10,5	11,4	-
-	-	71,0	74,0	77,0	80,0	87,0	-



Size chart (cm)

Total length (A)
Cuff length (B)
Cuff width (C)
Palm width (D)

5	6	7	8	9	10	11	12
-	-	22,0	23,0	24,0	25,0	25,5	-
-	-	3,80	3,80	3,80	3,80	3,80	-
-	-	8,00	9,00	9,50	10,0	10,5	-
-	-	9,00	9,50	10,0	10,5	10,8	-

Tolerance (A) $\pm 0,20$ (cm)
Tolerance (B) $\pm 0,10$ (cm)

Tolerance (C) $\pm 0,10$ (cm)
Tolerance (D) $\pm 0,20$ (cm)

DESCRIPTION

Combined gloves made of sheep skin leather with cotton back and velcro cuff.



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL

2
1
2
2
X

score

500 – 2.000
1,2 – 2,5
25 – 50
60 – 100
not measured

unit

cycles
index
N
N
N

SPECIAL FEATURES

- equipped with a velcro cuff thanks to which they do not slip out of the hand or move

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A1083/07
A1083/08
A1083/09
A1083/10
A1083/11

EAN

8592390115522
8592390115539
8592390115546
8592390115553
8592390115560