



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## ARDON® LEADERWIN S3

SAFETY SHOES



WINTER



WATER  
REPELLENT



REFLECTIVE



NONMETALLIC

TECHNICAL SHEET



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARDON® LEADERWIN S3

SAFETY SHOES

**ARTICLE** G3393

## MATERIAL

Upper NUBUCK cowhide leather, thickness 1.8 - 2 mm, hydrophobic /fabric  
Lining Synthetic fur  
Sole PU/PU, direct injection  
Toe cap Fibreglass 459  
Plate Kevlar  
Insole BASIC - synthetic fur

**SIZE** 36-48

**UNIT** pair

## PACKAGE

Units in a carton 10 pairs  
Units in a box 1 pair

## DIMENSIONS

	36-42	43-48
Carton H x W x D (cm)	34 x 48 x 65	37 x 50 x 69
Carton (cbm)	0,106	0,128

Size EUR	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51
Insole length mm	-	239	246	252	259	266	272	278	286	291	298	306	312	319	-	-	-
Foot length cm	-	22,9	23,6	24,2	24,9	25,6	26,2	26,8	27,6	28,1	28,8	29,6	30,2	30,9	-	-	-

## DESCRIPTION

Safety shoes with an upper made of high-quality NUBUCK leather, hydrophobic and fabric, with a fiberglass toe cap and Kevlar insole, reflective strip for higher visibility, dual-density polyurethane sole, insulation with synthetic fur.

TECHNICAL SHEET

## NORMS















(EU) 2016/425

EN ISO 20345:2011

Personal protective equipment - Safety footwear

Category:

S3 CI SRC

Categories	EN ISO 20345	
E - energy absorption in the heel area	✓	
FO - resistance to oils and fuels	✓	
A - antistatic footwear	✓	
SRC - resistance to slipping on ceramic floor tiles with SLS and on steel floors with glycerin	✓	
WR - upper resistant to water	✓	
Safety toe cap for toe protection	✓	
P - resistance to punctures (protective insole)	✓	
SRA - slip resistance ceramic floor tiles with SLS		
HRO - resistance to contact heatup to 300 °C		
insulation of the bottom of the shoe against heat		
insulation of the bottom of the shoe against the cold	✓	
Splatters of molten metal		
ESD – shoe protects against electrostatic discharge and can be used on EPA premises		
The shoes do not contain metal parts	✓	
-		
-		
-		



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

CODE	EAN	CARTON WEIGHT (KG)	UNIT WEIGHT (KG)
G3393/36	8592390358585	15,3	1,530
G3393/37	8592390358592	15,7	1,570
G3393/38	8592390168474	16,1	1,610
G3393/39	8592390168481	16,5	1,650
G3393/40	8592390168498	17,5	1,750
G3393/41	8592390168504	17,6	1,760
G3393/42	8592390168511	17,8	1,780
G3393/43	8592390168528	18,0	1,800
G3393/44	8592390168535	18,5	1,850
G3393/45	8592390168542	19,0	1,900
G3393/46	8592390168559	20,8	2,080
G3393/47	8592390168566	21,5	2,150
G3393/48	8592390168573	22,0	2,200





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**





**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

