



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## ARDON® PROOF CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION  
AND STATIC PROTECTION



TECHNICAL DATA



EN 388: 2016



EN 16350



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

# ARDON® PROOF CUT 4C

HANDLING IN DRY ENVIRONMENT WITH HIGH CUT PROTECTION  
AND STATIC PROTECTION

**CODE** A5021

## MATERIAL

Lining

15G HPPE (High Performance Polyethylene) + Carbon Fiber  
+ Spandex

Thickness

1,0 ± 0,2 mm (in palm)

**SIZE(S):**

6 / XS – 9 / L

**UNIT**

pair

## PACKING

Units in carton

120 pairs

Units in polybag

12 pairs

Retail packaging

N/A

## DIMENSIONS

Carton H x W x D (cm)

5	6	7	8	9	10	11	12
-	48x24x20	48x24x20	48x24x20	48x24x20	-	-	-
-	0,023	0,023	0,023	0,023	-	-	-


Carton (cbm)

## WEIGHT

Carton (kg)

5	6	7	8	9	10	11	12
-	2,90	3,00	3,11	3,30	-	-	-
-	15,6	16,3	17,0	19,7	-	-	-

Unit (g)



## Size chart (cm)

Total length (A)

5	6	7	8	9	10	11	12
-	21,0	22,0	23,0	24,0	-	-	-
-	6,00	6,20	6,50	6,80	-	-	-
-	8,20	8,50	8,80	9,00	-	-	-
-	9,00	9,30	9,50	10,0	-	-	-

Cuff length (B)

Cuff width (C)

Palm width (D)

Tolerance (A) ± 0,50 (cm)

Tolerance (B) ± 0,70 (cm)

Tolerance (C) ± 0,70 (cm)

Tolerance (D) ± 0,70 (cm)

## DESCRIPTION


Highly durable ESD cut-resistant knit without dipping.

## STANDARDS

(EU) 2016/425

**EN ISO 21420:2020** Protective gloves – general requirements and test methods

**EN 388:2016 + A1:2018** Protective gloves against mechanical risks

EN 388	PROTECTION LEVELS			
	MECHANICAL RISKS	LVL	score	unit
	abrasion resistance	3	2.000 – 8.000	cycles
	cut resistance	4	10 - 20	index
	tearing resistance	4	> 75	N
	puncture resistance	X	not measured	N
	cut resistance acc. to ISO	C	10 - 15	N

**EN 16350:2014**

Protective gloves - general requirements and test methods  
for antistatic properties



### SPECIAL FEATURES

- ESD cut resistant gloves
- durable knit (4C cut resistance)
- ARDON® design:
  - mandatory information on inner label
  - reflective manufacturer's logo
- do not leave fingerprints
- compatible with touch screens
- also available with polyurethane fingertips dipping = LEO CUT 4C
- also available with polyurethane palm dipping = BUCK CUT 4C



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Basic packaging (without sales label)**

A5021/06  
A5021/07  
A5021/08  
A5021/09

**EAN**

8592390180971  
8592390180988  
8592390180995  
8592390181008

**HEM COLOR**

violet  
yellow  
green  
orange

